


V-RECON SERIES VB-4HDIR30-TVI

High Resolution IR Bullet Camera



VEILUX[®]
The Art of Surveillance



Key Features

- 1/2.8" 4 SONY CCD CMOS
- HD Resolution:
- XDR, D-WDR (Digital Noise Reduction)
- Motion Detection
- Privacy Mask Function
- 3.6 mm Fixed Lens
- True Day & Night (ICR)
- Video Output-TVI
- Built-in IR LED 30 pcs (Night View Distance Indoor 35m/ Outdoor 25m)
- External Control (Focus/Zoom, OSD)
- Service Video Controller through Cable

Specifications	
Image Sensor	1/2.8" 4 Mega Pixel Sony CMOS Sensor
Scanning System	Progressive
Resolution	4.1 Megapixels NTSC/ PAL
Effective Pixels	2688(H) x 1520(V), 4.1MP
Shutter Speed	Auto/ Manual (1/50(1/60) ~ 1/100,000)
Min. Illumination	0.5 Lux (Color) (0 Lux IR LED ON)
S/N Ratio	>50dB (AGC off)
AGC	1- 5 Levels
Day & Night	Auto/ Color/ B&W/ Ext
White Balance	ATW/ Manual/ AWC Push
Backlight	1 - 16 Levels
Mirror	Off/ H/ V/ H&V/ Rotate
HLC	On/ Off
Zone	2 Areas
Motion	Off/ On
LSC	On/ Off
Language	Info
Day & Night System	ICR
Video Output	TVI
IR Led	30 units
Night View Distance	Indoor 35m/ Outdoor 25m
Lens	3.6 mm Fixed Lens
Power Consumption	DC12V Less than 150mA
Temperature Operating	14°F to 131°F (-10°C to 55°C)
Temperature Storage	-4°F to 140°F (-20°C to 60°C)
Operating Humidity	10% - 85% RH
IP Rating	IP66
Dimensions (WxDxH)	Ø5.5" x 4.3"(H) [Ø14cm x 11cm(H)]